

# Honeywell Portable Air Conditioners



**A compact, easy to use  
portable cooling solution.**

**Honeywell**

# Introduction

Honeywell Portable Air Conditioners are available in a comprehensive range of cooling options for consumer comfort. With designs to suit all types of decors, Honeywell Portable Air Conditioners incorporate innovative pioneering features that make them easy to operate.

Honeywell Portable Air Conditioners are ideal for spot cooling. The compressor, condenser and evaporator are housed in a compact unit. The air is filtered, dehumidified and cooled by the unit. A flexible air outlet hose sends the heat to the outside. All models include a window

venting kit which is easy to set up. Honeywell Portable Air Conditioners are equipped with a patented auto evaporation system. This sends the condensate moisture to the outside through the air outlet hose, eliminating the need of a drainage tank.

Honeywell Portable Air Conditioners offer a flexible air-conditioning solution. They do not require professional installation and can be easily set up and put into operation anywhere. You just need a place to plug them in and an outlet for the flexible air outlet hose.



**Cooling Capacity** – Honeywell Portable Air Conditioners are available in capacities ranging from 5000 btu to 14000 btu.

**Hydrophilic Fins** – The fins of the heat exchanger are coated with a special material to make them hydrophilic. This prevents the water droplets from accumulating on the fins and improves the efficiency of the heat exchanger.

**Auto-Drain** – Honeywell Portable Air Conditioners do not need a drainage tank. They automatically evaporate the condensate through the air outlet hose. No need to worry that your carpet gets wet due to an overflowing tank.

**R410A Refrigerant** – All our models use Honeywell R410A refrigerant which is more energy efficient than conventional R-22 refrigerant.

**Function** – Honeywell Portable Air Conditioners can operate under the following modes:

*Cool* – For cooling and dehumidification.

*Dehumidify* – To reduce the humidity level.

*Fan* – To circulate the air.

*Heat\** – To warm the room.

**LCD Display\*** – Comprehensive information on the LCD display makes the product user friendly. The LCD displays temperature set, timer setting, fan speed and mode. It also has a warning light for any malfunction.



**Remote Control** – Enables conveniently changing the temperature setting, operation mode and timer from a distance.

**Dehumidification** – All models can be set to dehumidify the air, making minimal change in temperature.

**Fan Speed** – In all modes the fan can be set to low, medium or high to suit your needs.

**Timer** – For your convenience the units can be programmed to switch off from 1 to 24 hrs.

\* Available in selected models





# MN Series



The Honeywell MN Series Portable Air Conditioner has a sleek, modern design cooling and dehumidifying areas up to 450 square feet. With 3-in-1 technology, 3M electrostatic filter and an environmentally friendly compressor, this portable air conditioner delivers optimum cooling and dehumidification. It also has a fan-only function. The full-function remote control allows you to operate each feature from across the room. Unlike a fixed AC, this unit requires no permanent installation and four caster wheels provide easy mobility between areas. Plus, the auto-evaporation system allows for hours of continuous operation with no water to drain or no bucket to empty. This model comes with everything needed including a flexible exhaust hose and an easy-to-install window venting kit. The window vent can be removed when the unit is not in use.



Easy Installation



Auto-Evaporation System



Feather-Touch Controls



Built-in Heat Pump (optional)

# MN10CES / MN10CHES

## Features / Specifications :



Cooling,  
Dehumidification,  
Fan



R410A high efficiency  
compressor



Auto Evaporation  
System – No need to  
empty a water tray




10,000 BTU Cooling Capacity



Power Air-flow  
with 3 Fan Speeds



Automatic Shutoff Timer  
1 to 24 hr



Electrostatic Filter  
Washable,  
no need to replace



Digital LED Display,  
provides precise  
temperature control



Adjustable Temperature  
of 18~40°C / 64-104°F



De-humidification  
Capacity  
(L/H) of 1.8L  
(L/24H) of 43.20 L



Noise level  
of 50 dbA



Remote Control



Single Hose




All installation  
accessories  
included



## Optional Features :



With Heater  
9,000 BTU Heating Capacity  
(Model MN10CHES)



Ionizer for improved  
air quality



# For reference only

# MN12CES / MN12CHES

## Features / Specifications :



Cooling,  
Dehumidification,  
Fan



R410A high efficiency  
compressor



Auto Evaporation  
System – No need to  
empty a water tray




12,000 BTU Cooling Capacity



Power Air-flow  
with 3 Fan Speeds



Automatic Shutoff Timer  
1 to 24 hr



Electrostatic Filter  
Washable,  
no need to replace



Digital LED Display,  
provides precise  
temperature control



Adjustable Temperature  
of 18~40°C / 64-104°F



De-humidification  
Capacity  
(L/H) of 1.8L  
(L/24H) of 43.20 L



Noise level  
of 50 dbA



Remote Control



Single Hose



All installation  
accessories  
included



## Optional Features :



With Heater  
10,000 BTU Heating Capacity  
(Model MN12CHES)



ionizer for improved  
air quality



# For reference only

**Honeyair Australia Pty Ltd**  
78 Mallard Way  
Cannington, WA 6107  
Phone: 1300 710 860  
Fax: 1300 710 890  
Email: [info@honeyair.com.au](mailto:info@honeyair.com.au)

**AirTek International Corporation Ltd.**  
**(JMATEK International Group of Companies)**  
66 Mody Road, Tsim Sha Tsui East, Hong Kong  
Phone: 852-2559-5522  
Email: [info@honeywellaircoolers.com](mailto:info@honeywellaircoolers.com)  
Web: [www.honeywellaircoolers.com](http://www.honeywellaircoolers.com)

December 2013  
© 2013 AirTek Int'l Corp. Ltd. All rights reserved.  
The Honeywell Trademark is used under license from  
Honeywell International Inc.  
Honeywell International Inc. makes no representations or  
warranties with respect to this product.  
This product is manufactured by Airtek Int'l Corp. Ltd.

**Honeywell**